



DOOR BROCHURE

NEW EXCITING RANGE OF DOORS
FROM ALL OVER THE WORLD



ALMOND ROAD, FALKIRK FK2 9HQ

T: 01324 673100 F: 01324 673199 E: mail@fine-wood.co.uk

www.fine-wood.co.uk

DOOR SIZES

In this catalogue, next to each door design, is a letter which represents which sizes are available for each design.

- Create the right impression in your house... our beautiful choice of doors can make that happen.
- Doors from all over the world in a wide choice of designs.
- Many doors can be fitted with your choice of glass options.
- Available in a wide range of veneers.
- Varnished or Un-varnished.
- Order now.

SIZE CONVERSIONS

DOOR THICKNESSES

35mm thick = 1³/₈" 40mm thick = 1⁵/₈" 45mm thick = 1³/₄"

IMPERIAL SIZES	INCHES	MILLIMETRES
6' 6" x 1' 6"	78" x 18"	1981 x 457mm
6' 6" x 1' 9"	78" x 21"	1981 x 533mm
6' 6" x 2' 0"	78" x 24"	1981 x 610mm
6' 6" x 2' 3"	78" x 27"	1981 x 686mm
6' 6" x 2' 6"	78" x 30"	1981 x 762mm
6' 6" x 2' 9"	78" x 33"	1981 x 838mm
6' 8" x 2' 8"	80" x 32"	2032 x 813mm
6' 9" x 2' 9"	81" x 33"	2057 x 838mm
6' 10" x 2' 10"	82" x 34"	2083 x 864mm
7' 0" x 3' 0"	84" x 36"	2135 x 915mm
8' 0" x 4' 0"	96" x 48"	2440 x 1220mm
METRIC SIZES	INCHES	FEET AND INCHES
2040 x 526mm	80 ¹ / ₄ " x 20 ¹ / ₂ "	6'8 ¹ / ₄ " x 1'8 ¹ / ₂ "
2040 x 626mm	80 ¹ / ₄ " x 24 ¹ / ₂ "	6'8 ¹ / ₄ " x 2'0 ¹ / ₂ "
2040 x 726mm	80 ¹ / ₄ " x 28 ¹ / ₂ "	6'8 ¹ / ₄ " x 2'4 ¹ / ₂ "
2040 x 826mm	80 ¹ / ₄ " x 32 ¹ / ₂ "	6'8 ¹ / ₄ " x 2'8 ¹ / ₂ "
2040 x 926mm	80 ¹ / ₄ " x 36 ¹ / ₂ "	6'8 ¹ / ₄ " x 3'0 ¹ / ₂ "

All doors that are available in **FD30** fire door have ● next to each relevant size.

All doors that are available in **FD60** fire door have ● next to each relevant size.

Although every effort is made to ensure accurate colour representation due to the limitations of the printing process, the colours in this brochure may not be true representations of the actual colours and are meant as a guide only.

THE 990 PRE-VARNISHED RANGE

Stylish, contemporary and available with a wide range of glazing options.

WALNUT



990

991

994


STANDARD DOOR SIZES

IMPERIAL	METRIC
A 6' 6" x 1' 6"	1981 x 457 mm
B 6' 6" x 1' 9"	1981 x 533 mm
C 6' 6" x 2' 0"	1981 x 610 mm
D 6' 6" x 2' 3"	1981 x 686 mm
E 6' 6" x 2' 6"	1981 x 762 mm
F 6' 6" x 2' 9"	1981 x 838 mm
G 6' 8" x 2' 8"	2032 x 813 mm

METRIC

H 2040 x 526mm
I 2040 x 626mm
J 2040 x 726mm
K 2040 x 826mm
L 2040 x 926mm

OAK



990

991

994

Latest fashion

OAK PRE-VARNISHED RANGE

Exciting range of modern doors.

OAK



D
E
F
G
J
K

910



D•
E•
F•
G
J•
K•

993


New
designs

STANDARD DOOR SIZES

	IMPERIAL	METRIC
A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm



C
H
I
J
K

Diagonal



D
E
F
J
K

Diagonal 1 Light



C
D
F
H
I
K

914



D
E
F
J


996

These four designs are being discontinued but we have limited stock – please check availability.

OAK PRE-VARNISHED RANGE


OAK CLYDE RANGE

B
C
D
E
F
G
H
I
J
K
L



Clyde

D
E
F
G
J
K



Clyde 4 Light

D
E
F
G
J
K



Clyde 3 Light

STANDARD DOOR SIZES

IMPERIAL

	IMPERIAL	METRIC
A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm

OAK FORTH RANGE

B
C
D
E
F
G
H
I
J
K
L



Forth

D
E
F
G
J
K



Forth 5 Light

D
E
F
G
J
K




Forth 1 Light

New ranges

OAK PRE-VARNISHED RANGE

MEXICANO RANGE

C
D
E
F
G
H
I
J
K



Mexicano

D
E
F
J
K



Mexicano 6 Light

D
E
F
J
K



Mexicano 3 Light

D
E
F
J
K



Mexicano 1 Light


OAK TWEED RANGE

D
E
F
G
J
K



Tweed 3 Light

C
D
E
F
G
H
I
J
K
L



Tweed

The UKs latest designs
modern...
slick...
exciting

THE CUBA RANGE

B
C
D
E
F
G
H
I
J
K



Cuba

D
E
F
J
K



Cuba 3 Light

Our new modern designs can be glazed with your own choice of glass

STANDARD DOOR SIZES

IMPERIAL

IMPERIAL	METRIC
A 6' 6" x 1' 6"	1981 x 457 mm
B 6' 6" x 1' 9"	1981 x 533 mm
C 6' 6" x 2' 0"	1981 x 610 mm
D 6' 6" x 2' 3"	1981 x 686 mm
E 6' 6" x 2' 6"	1981 x 762 mm
F 6' 6" x 2' 9"	1981 x 838 mm
G 6' 8" x 2' 8"	2032 x 813 mm

METRIC

H 2040 x 526mm
I 2040 x 626mm
J 2040 x 726mm
K 2040 x 826mm
L 2040 x 926mm


THE SHAKER RANGE

D
E
F
G
J
K




Shaker 4 Light

B
C
D
E
F
G
H
I
J
K



Shaker 4 Panel

B
C
D
E
F
G
H
I
J
K



Shaker 1 Panel

Stylish classic doors

OAK PRE VARNISHED RANGE

Flat beads



Flat beads





THE OAK PRE VARNISHED RANGE

Spanish Doors



Seville



Girona



Valencia



Cordoba




Altea



Alcudia



Lanzarote



Merida



THE SAPELE PRE VARNISHED RANGE

Spanish Doors



B
C
D
E
F
G
H
I
J
K

Seville



E
F
J
K


Girona

STANDARD DOOR SIZES	
IMPERIAL	METRIC
A 6' 6" x 1' 6"	1981 x 457 mm
B 6' 6" x 1' 9"	1981 x 533 mm
C 6' 6" x 2' 0"	1981 x 610 mm
D 6' 6" x 2' 3"	1981 x 686 mm
E 6' 6" x 2' 6"	1981 x 762 mm
F 6' 6" x 2' 9"	1981 x 838 mm
G 6' 8" x 2' 8"	2032 x 813 mm
METRIC	
H 2040 x 526mm	
I 2040 x 626mm	
J 2040 x 726mm	
K 2040 x 826mm	
L 2040 x 926mm	



C
D
E
F
G
J
K

Valencia



E
F
J
K

Cordoba

Our top of the range Spanish doors are the ultimate in quality. Choose your own glass designs.

THE HARDWOOD UN-VARNISHED RANGE

STANDARD DOOR SIZES

	IMPERIAL	METRIC
A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm


Hardwood doors can be stained by you in your choice of colours.



Adriatic



Colonial Top Light




SA



Louis



Colonial 6 Panel




Dakota



Riviera



Colonial 4 Panel



Pattern 10

THE DEFINITION OF FLUSH QUALITY VENEERS

Experience why our improved veneers are a work of art.

Leading the way with our new advanced finishing process which enables us to achieve a more professional smoother quality finish on our real wood veneered doors. Available in a range of colours, sizes and specifications all supplied PEFC as standard.

Available as
Hollow Core
FD30 45mm half hour Fire Door
FD60 54mm one hour Fire Door

All these doors available in the following:

A • B • C • D • E • F • G • H • I • J • K • L •



Anegre veneer



Ash veneer



Koto veneer



**North American
Maple veneer**

Available in fire door FD30 and FD60.

FLUSH QUALITY VENEERS



Durador veneer



Steamed Beech veneer



White Oak veneer



Sapele veneer



Walnut veneer



Plywood (un-varnished)

STANDARD DOOR SIZES

IMPERIAL

	IMPERIAL	METRIC
A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm

Available in fire door FD30 and FD60.

DOOR PAIRS

Why not have your own pair of doors?
Simple and easy to do.



Girona



Valencia



991



Shaker 4 Light



Riviera



Cuba


Choose your own doors from our extensive range to make a beautiful pair of doors.

DESIGNER STYLE AT ITS BEST SMOOTH WHITE PRIMED FINISH




991

D E F G J K L



994

D E F G J K



990

B C D E • F • G H I • J • K • L •

WHITE PRIMED RANGE



Canterbury



Colonist



Colonist Full Light



Colonist 2 Light

STANDARD DOOR SIZES

IMPERIAL

METRIC


A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm



Classique



Classique 1 Light



Classique 6 Light



Classique Full Light

Available in fire door FD30.

WHITE PRIMED RANGE

C.
D.
E.
F.
G.
H.
I.
J.
K.
L.



Carmelle

**BI-FOLD
DOORS WHITE
PRIMED
TEXTURED**


STANDARD DOOR SIZES

Metric

1981 x 610mm

1981 x 762mm

1981 x 910mm



Classique Bi-Fold



Colonist Bi-Fold

THE CLEAR PINE RANGE

STANDARD DOOR SIZES

IMPERIAL

METRIC

A 6' 6" x 1' 6" 1981 x 457 mm

B 6' 6" x 1' 9" 1981 x 533 mm

C 6' 6" x 2' 0" 1981 x 610 mm

D 6' 6" x 2' 3" 1981 x 686 mm

E 6' 6" x 2' 6" 1981 x 762 mm

F 6' 6" x 2' 9" 1981 x 838 mm

G 6' 8" x 2' 8" 2032 x 813 mm

METRIC


H 2040 x 526mm

I 2040 x 626mm

J 2040 x 726mm

K 2040 x 826mm

L 2040 x 926mm



Colonial 6 Panel



Colonial 4 Panel



SA



Louis



Riviera



Adriatic

BESPOKE INTERNAL AND FIRE DOORS

STANDARD DOOR SIZES


IMPERIAL	METRIC
A 6' 6" x 1' 6"	1981 x 457 mm
B 6' 6" x 1' 9"	1981 x 533 mm
C 6' 6" x 2' 0"	1981 x 610 mm
D 6' 6" x 2' 3"	1981 x 686 mm
E 6' 6" x 2' 6"	1981 x 762 mm
F 6' 6" x 2' 9"	1981 x 838 mm
G 6' 8" x 2' 8"	2032 x 813 mm

METRIC


H 2040 x 526mm
I 2040 x 626mm
J 2040 x 726mm
K 2040 x 826mm
L 2040 x 926mm



Alicante Oak



Almeria Oak



Walnut Almeria

Doors to stand out from the crowd



Majorca



Levante Oak




3 Panel Oak Shaker

NEW FOR 2014



Murcia Oak



Zaragoza Oak



Toledo Oak

BESPOKE DOORS

NEW FOR 2014

STANDARD DOOR SIZES

	IMPERIAL	METRIC
A	6' 6" x 1' 6"	1981 x 457 mm
B	6' 6" x 1' 9"	1981 x 533 mm
C	6' 6" x 2' 0"	1981 x 610 mm
D	6' 6" x 2' 3"	1981 x 686 mm
E	6' 6" x 2' 6"	1981 x 762 mm
F	6' 6" x 2' 9"	1981 x 838 mm
G	6' 8" x 2' 8"	2032 x 813 mm

METRIC

H	2040 x 526mm
I	2040 x 626mm
J	2040 x 726mm
K	2040 x 826mm
L	2040 x 926mm

B
C
D
E
F
G
H
I
J
K



9500 Wenge Eco

B
C
D
E
F
G
H
I
J
K



9503 Wenge Eco

The following doors are available in a wide range of colours

B
C
D
E
F
G
H
I
J
K



9200

B
C
D
E
F
G
H
I
J
K



9201

B
C
D
E
F
G
H
I
J
K



9213

B
C
D
E
F
G
H
I
J
K



9224

DOORSETS

Doorsets are now recognised as the preferred choice for specifiers, contractors and developers as the simplest and most cost effective means of meeting the requirement for consistent quality in fire, acoustic and security application.



SCREENS

Bespoke timber screens are available in a variety of high quality finishes from painted softwood to a range of unfinished or prefinished hardwoods. Glazed screens can be manufactured with FD30 / FD60 fire rating with glazing options to suit integrity or integrity and insulation.

Glazed timber screens complement our quality doors and doorsets in an internal structural and decorative feature. They are an ideal solution for applications in corridors and partition walls.



APERTURES



1G



3G



5G



7G



7G(1)



8G



10G



16G



18G



19G

Glazed vision panels are generally used within doors to allow light into a room, for aesthetic reasons and or for safety allowing individuals using the door to be seen from both sides.

Vision panels are available in a range of sizes to meet DDA Compliance and can be arranged for a particular application or aesthetic requirements.

Glazed doors which meet Certifire standards available in FD30, FD60 and FD120.

Please note our 19G door is not available as a fire door, (in FD60 and FD120).

OAK AND SAPELE PRE-VARNISHED AND UN-VARNISHED MOULDINGS



Oak and Sapele Skirtings
Skirting: 12 x 120 x 3000mm



Oak and Sapele Casing
Casing: 6 x 150 x 2200mm



Oak and Sapele Facings
Facing: 15 x 70 x 2200mm



Oak and Sapele Door Stops
Stops: 12 x 55 x 2200mm



Oak and Sapele Blocks
Block: 24 x 80 x 150mm
Block: 20 x 100 x 145mm (Oak only)
Block: 24 x 100 x 175mm (Oak only)



Executive Facing Pack

Also available in
R1A and R2A
in **Oak only**

ROCKDOOR COMPOSITE DOORS

The ultimate thermally efficient door



- Secure
- Strong
- Durable
- Style
- Thermally efficient
- Low maintenance

Thermal Efficiency **A**

- A-Rated door range when ordered with clear backing glass.
- 50mm thick sash.
- Carbon Fibre reinforcement
- 22mm Argon filled units.
- Soft coat glass.
- Warm edge spacerbar technology.
- 5 chamber outer profile.
- Outer profile reinforced thermal rebar.
- Twin seal weather gasket.



ULTIMATE SERIES THERMAL EFFICIENCY **A**

Featuring a 50mm thick door sash, argon filled double glazed unit, soft coat thermally efficient glass and a carbon fibre reinforced inner frame, Rockdoors Ultimate Series is **A-rated as standard** (a first in the industry) making it the most advanced thermally efficient and secure composite door available.

ELITE SERIES THERMAL EFFICIENCY **C**

Featuring a 44mm sash, argon filled double glazed unit and hard coat thermally efficient glass, Rockdoors Elite Series is **C-rated as standard**, which exceeds what many other composite door manufacturers can achieve.

SELECT SERIES THERMAL EFFICIENCY **E**

Featuring a 44mm sash, double glazed unit and thermally efficient glass, Rockdoors Select Series is **E-rated as standard** which meets the industry standard keeping you warm and cosy in your home.



A CUT ABOVE THE REST

What better way to demonstrate the strength and security of a Rockdoor, than the picture showing the Fire Service trying to gain entry through the door whilst on a training exercise. The service recently visited our manufacturing facility to practice getting into a Rockdoor, in the rare event of having to force entry in an emergency.

To help them in their training, they used a high tech diamond tipped power saw – something even expert burglars don't carry with them.

ULTIMATE RANGE Available made-to-measure in a wide range of colours and glazing options



Acacia Irish Oak
Cosmopolitan



Carolina Light
Oak Plain



Classic White
Plain



Colonial Irish
Oak



Cottage View
Light Rosewood
Diamond



English Cottage
Irish Oak
Square Lead



Georgia Irish
Oak Vela



Jacobean
Cream Apollo



Jacobean Green
Green Diamond



Jacobean Red
Linear



Jacobean Grey
Summit



Kentucky Red
Aquarius



Kentucky Light
Oak Diamond
Lead



Kentucky Irish
Oak Linear



Kentucky Black
Summit



Montana Light
Oak Libra



Newark Irish
Oak Lantern



Portland Irish
Oak Beacon



Portland Black
Horizon



Regency Grey
Plain



Stable Spy View
Light Oak Plain



Tennessee Red
Red Diamond



Tennessee Grey
Summit



Vogue Grey
Abyss



Vogue Black
Ocean



Windsor Grey
Ellipse



Windsor Black
Linear



Windsor Green
Starlite



Windsor Red
Triton

ROCKDOOR COMPOSITE DOORS

MULTI POINT HOOK LOCKS German engineered hook locks exclusive to Rockdoor. Made from steel and brass for ultimate strength and security.

ARGON GLASS UNIT Toughened glass units filled with Argon Gas to provide the most thermally efficient door available.

CARBON FIBRE An industry first, Rockdoors Carbon Fibre reinforced inner frame makes it the strongest door frame on the market.

CYLINDER Secured by Design Cylinder, anti-bump and anti-pick manufactured to British Standards 1303.

CYLINDER GUARD Zinc cylinder guard protector to stop lock barrels from being snapped.

STEEL DRILL PLATES Concealed and reinforced steel drill plates prevent locks from being drilled out by thieves.

ENGINEERED FRAME The door skeleton is welded together and is impervious to moisture ensuring it won't swell or rot.

STEEL KEEPS Brass hook locks engage into full length steel keeps to prevent forced entry.

REBAR Outerframe features a reinforced thermal block for strength and thermal efficiency.

HINGE BLOCK Provides the strongest fixing points available when installing the door.

DOOR OUTERFRAME Multichambered, insulated outerframe for high levels of thermal performance.


FACTORY GLAZING No cassettes giving a greater resistance to glass removal, perfect colour match and no air or water leakage.

DOOR SURFACE Thick and tough 3mm skins both internally and externally resist cutting and impact.

3D HINGES Engineered 3 way adjustable hinges secured into the Carbon Fibre for extra strength.

LETTERPLATE Opens to 180° for convenient and safe day to day use, and comes with integral brush strip for thermal efficiency.

STEEL MESH A unique and optional welded steel mesh security system can increase the strength of your Rockdoor by 4 times.



COLOUR, INSIDE & OUT

Rockdoors are available in 11 different colours as shown. As Rockdoors are 'made to order', not 'cut to size', all colours shown are available inside & out. Please check colour swatch before ordering. Visit our online gallery at rockdoor.com

ELITE RANGE Available made-to-measure in a wide range of colours and glazing options



SELECT RANGE Available made-to-measure in a wide range of colours and glazing options



ROCKDOOR

COMPOSITE DOOR TECHNICAL INFORMATION


ULTIMATE Series		Security 1 <ul style="list-style-type: none"> Secured by Design German engineered hook locks. 25mm solid brass hooks (4 hook option). Full length keep. Deadlock. 6 Pin Secured by Design cylinder made to BS1303. Cylinder guard. Concealed anti-drill plate. 	Strength <ul style="list-style-type: none"> Carbon Fibre reinforcing. Made to measure. Unique construction. 50mm sash. 3mm high impact external skin. 3mm high impact internal skin. 44mm rigid core. 	Glazing <ul style="list-style-type: none"> Crisp edge CNC aperture. Press glazed technology. High security glazing system. Draft - leak proof seal. 
ELITE Series		Security 3 <ul style="list-style-type: none"> German engineered lock. 20mm steel hooks. Single pocket keeps. Deadlock. 6 pin cylinder. Cylinder guard. 	Strength <ul style="list-style-type: none"> Aluminium reinforcing. Made to measure. Unique construction. 44mm sash. 2mm high impact external skin. 2mm high impact internal skin. 40mm rigid core. 	Glazing <ul style="list-style-type: none"> Press glazed technology. High security glazing system. Draft - leak proof seal. 
SELECT Series		Security 5 <ul style="list-style-type: none"> German engineered lock. 20mm steel bolts. Single pocket keeps. Deadlock. 6 pin cylinder. 	Strength <ul style="list-style-type: none"> Aluminium reinforcing. Made to measure. Unique construction. 44mm sash. 2mm high impact external skin. 2mm high impact internal skin. 40mm rigid core. 	Glazing <ul style="list-style-type: none"> Press glazed technology. High security glazing system. Draft - leak proof seal. 

Series Comparison

Still struggling to decide which Rockdoor Series best suits your requirements? Then why not use the above chart to compare everything from the strength & security, to furniture quality & energy efficiency of each Series.

ULTIMATE Series

Rockdoors most secure, stylish and thermally efficient composite door; the Ultimate Series provides homeowners everything they could ever need from a top of the range entrance door. If you choose from the Ultimate Series, you can also select a glass design from the Elite or Select Series.



ROCKDOOR

COMPOSITE DOOR TECHNICAL INFORMATION

<p>Glass Designs</p> <ul style="list-style-type: none"> Available from all the series. Gluechip & Sandblasted. Beveled designs. Simple Lite designs. Clear Lite designs. Coloured film designs. 	<p>Letterplate</p>  <p>Polished Chrome, Satin Chrome, Polished Chrome Gold, Polished Black</p> <ul style="list-style-type: none"> Solid metal surround. Thermal/acoustic seal. Fully sprung closing. 180° opening. 	<p>Handle</p>  <p>Polished Chrome, Satin Chrome, Polished Chrome Gold, Polished Black</p> <ul style="list-style-type: none"> Attractive backplates with ergonomically designed levers. Weight balanced spring cassette for ease of operation. Concealed anti-drill plate. 3 security fixings. 	<p>Thermal Efficiency A</p> <ul style="list-style-type: none"> A-Rated door range when ordered with clear backing glass. 50mm thick sash. Carbon Fibre reinforcement 22mm Argon filled units. Soft coat glass. Warm edge spacerbar technology. 5 chamber outer profile. Outer profile reinforced thermal rebar. Twin seal weather gasket. 
--	--	--	---

<p>Glass Designs</p> <ul style="list-style-type: none"> Available from the Elite & Select series. Sandblasted. Beveled designs. Simple Lite designs. Clear Lite designs. Coloured film designs. 	<p>Letterplate</p>  <p>Polished Chrome, Polished Gold</p> <ul style="list-style-type: none"> Minimal plastic surround. Thermal/acoustic seal. Fully sprung closing. 180° opening. 	<p>Handle</p>  <p>Polished Chrome, Polished Gold</p> <ul style="list-style-type: none"> Attractive levers & backplates. Spring cassette for ease of operation. 2 security fixings. 	<p>Thermal Efficiency C</p> <ul style="list-style-type: none"> C-Rated door range when ordered with clear backing glass. 44mm thick sash. 18mm Argon filled units. Hard coat glass. Warm edge spacerbar technology. 5 chamber outer profile. Outer profile reinforced thermal rebar. Twin seal weather gasket. 
---	---	--	--

<p>Glass Designs</p> <ul style="list-style-type: none"> Available from the Select series. Clear Lite designs. Coloured film designs. 	<p>Letterplate</p>  <p>Polished Chrome, Polished Gold</p> <ul style="list-style-type: none"> Plastic surround. Thermal/acoustic seal. Fully sprung closing. 90° opening. 	<p>Handle</p>  <p>Polished Chrome, Polished Gold</p> <ul style="list-style-type: none"> Designed for everyday use levers & backplates. Spring cassette for ease of operation. 2 security fixings. 	<p>Thermal Efficiency E</p> <ul style="list-style-type: none"> E-Rated door range when ordered with clear backing glass. 44mm thick sash. 18mm double glazed units. Warm edge spacerbar technology. 5 chamber outer profile. Outer profile reinforced thermal rebar. Weather seal gasket. 
--	--	---	---

ELITE Series

Elite Series features a reduced range of door styles for homeowners wanting a high quality door, a stylish glass designs and good quality furniture. If you choose from the Elite Series, you can also select a glass design from the Select Series.




SELECT Series

The Select Series provides a simple and affordable solution for homeowners looking for basic glass designs, whilst still wanting an attractive looking secure composite door.




CRYSTAL CUT EXECUTIVE GLASS


All drawings are shown in proportion to a 1700 x 600mm pane for illustration purposes.



MacDoor 2




MacDoor 4




MacDoor 5


choose
your own
glass
designs




Classic 15




16pt Star




32pt Star



Mac Geo




MacBorder 2




SLP Border

CRYSTAL CUT EXECUTIVE GLASS


All drawings are shown in proportion to a 1700 x 600mm pane for illustration purposes.




DP-Thistle




SLR Border




DLX Border




MacBorder 4



Celtic



MacBorder 1




BCcor 2




BCcor 3




BCcor 5




BCcor 6




DLP Border




BCcor 7



BCcor 8




BCcor 9




BCcor 10


STANDARD CRYSTAL CUT GLASS




Valencia




Girona




Cordoba




Lanzarote




Barcelona




910




Alcudia




Merida




991




Riviera




Adriatic




Pattern 10




**Classique 6
Light**




**Classique 1
Light**




**Classique Full
Light**



**Colonist Full
Light**



**Colonist 2
Light**



2XG

PILKINGTON TEXTURED GLASS RANGE

CHOOSE FROM A WIDE RANGE OF ORIGINAL DESIGNS



Contora™ 4



Pelerine™ 5



Oak™ 4



Chantilly™ 2



Charcoal Sticks™ 4



Everglade™ 5



Digital™ 3




Mayflower™ 4



Florielle™ 4



Minster™ 2




Taffeta™ 3



Warwick™ 1




Arctic™ 4



Stippolyte™ 4




Flemish™ 2



Cotswold™ 5



Autumn™ 3



Sycamore™ 2

FIVE LEVELS OF PRIVACY




Level 1



Level 2



Level 3



Level 4



Level 5




990



991



994



Mexicano



Mexicano 3 Light



Mexicano 1 Light



Cuba 3 Light



Shaker 4 Light



Riviera